

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: **FUSOR 114LG, 114SM PLASTIC FINISHING ADH (FAST) PT B**
 Product Use/Class: **EPOXY ADHESIVE, PART 2 OF 2**

LORD Corporation
 111 LORD Drive
 Cary, NC 27511-7923 USA

Telephone: 814 868-3180
 Non-Transportation Emergency: 814 763-2345
 Chemtrec 24 Hr Transportation Emergency No.
 800 424-9300 (Outside Continental U.S. 703 527-3887)

Connell Bros. Co. Australasia Pty Ltd.
Unit 3 / 257 Leitchs Road
Brendale QLD 4500 Australia
ABN 53 079 159 327
Telephone: 07 3552 9200
Australia Wide - 24 Hr Emergency Number
1800-033-111

EFFECTIVE DATE: 08/04/2022

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Acute toxicity Oral Category 4 - 39.3% of the mixture consists of ingredient(s) of unknown toxicity.
 Acute toxicity Dermal Category 5
 Skin corrosion/irritation Category 2
 Serious eye damage/eye irritation Category 1
 Skin sensitization Category 1
 Respiratory sensitization Category 1
 Reproductive toxicity Category 2
 Specific target organ systemic toxicity (single exposure) Category 3
 Specific target organ systemic toxicity (repeated exposure) Category 2 Kidney, Bladder
 Hazardous to the aquatic environment - acute hazard Category 1
 Hazardous to the aquatic environment - chronic hazard Category 1

GHS LABEL ELEMENTS:

Symbol(s)



Signal Word

DANGER

Hazard statements

Harmful if swallowed.
 May be harmful in contact with skin.
 Causes skin irritation.

Causes serious eye damage.
May cause an allergic skin reaction.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Suspected of damaging fertility or the unborn child.
May cause respiratory irritation.
May cause damage to organs through prolonged or repeated exposure.(Kidney, Bladder)
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves, eye protection, face protection.
Use personal protective equipment as required.
In case of inadequate ventilation wear respiratory protection.
Do not breathe dust, fume, mist, vapors, spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.

Response

Immediately call a POISON CENTER or doctor, physician.
Specific treatment (see supplemental first aid instructions on this label).
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Rinse mouth.
Take off contaminated clothing and wash before reuse.
Collect spillage.

Storage

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Disposal:

Dispose of contents/container in accordance with waste/disposal laws and regulations of your country or particular locality.

Other hazards:

This product contains component(s) which have the following warnings; however based on the GHS classification criteria of your country or locale, the product mixture may be outside the respective category(s).

Acute: Eye contact may cause severe eye damage, including vision disturbances, corneal damage, and blindness. Dermal absorption possible. A skin corrosivity study performed on this product or a similar product concludes that it is not corrosive to skin.

Chronic: Extremely high vapor concentrations may cause lung damage. The modified amine in this product gave both positive and negative results in laboratory genetic toxicity studies.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Range
---------------	------------	-------

4-tert-Butyl phenol	98-54-4	30 - 35 %
Polyamine	PROPRIETARY	10 - 15 %
Nonylphenol	25154-52-3	10 - 15 %
Amine compound	PROPRIETARY	5 - 10 %
Amine compound	PROPRIETARY	0.1 - 0.9 %

4. FIRST AID MEASURES

FIRST AID - EYE CONTACT: Flush eyes immediately with large amount of water for at least 15 minutes holding eyelids open while flushing. Get prompt medical attention.

FIRST AID - SKIN CONTACT: Flush contaminated skin with large amounts of water while removing contaminated clothing. Wash affected skin areas with soap and water. Get medical attention if symptoms occur.

FIRST AID - INHALATION: Move person to fresh air. Restore and support continued breathing. If breathing is difficult, give oxygen. Get immediate medical attention.

FIRST AID - INGESTION: If swallowed, do not induce vomiting. Call a physician or poison control center immediately for further instructions. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon Dioxide, Dry chemical, Foam, Water fog

UNSUITABLE EXTINGUISHING MEDIA: Not determined for this product.

SPECIFIC HAZARDS POSSIBLY ARISING FROM THE CHEMICAL: Keep container tightly closed. Closed containers may rupture when exposed to extreme heat. Use water spray to keep fire exposed containers cool. During a fire, irritating and/or toxic gases and particulate may be generated by thermal decomposition or combustion.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS: Wear full firefighting protective clothing, including self contained breathing apparatus. If water is used, fog nozzles are preferable.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Avoid contact. Avoid breathing vapors. Use self-contained breathing equipment.

ENVIRONMENTAL PRECAUTIONS: Do not contaminate bodies of water, waterways, or ditches, with chemical or used container.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Keep non-essential personnel a safe distance away from the spill area. Notify appropriate authorities if necessary. Avoid contact. Before attempting cleanup, refer to hazard caution information in other sections of this safety data sheet. Scoop spilled material into an appropriate container for proper disposal. (If necessary, use inert absorbent material to aid in containing the spill).

7. HANDLING AND STORAGE

Product: FUSOR 114LG, 114SM PLASTIC FINISHING ADH (FAST) PT B, Effective Date:
08/04/2022

HANDLING: Keep closure tight and container upright to prevent leakage. Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing of vapor or spray mists. Do not handle until all safety precautions have been read and understood. Empty containers should not be re-used. Use with adequate ventilation.

STORAGE: Store only in well-ventilated areas. Keep container closed when not in use.

INCOMPATIBILITY: Strong acids, bases, and strong oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT EXPOSURE LIMIT

4-tert-Butyl phenol	98-54-4	Not established
Polyamine	PROPRIETARY	Not established
Nonylphenol	25154-52-3	Not established
Amine compound	PROPRIETARY	Not established
Amine compound	PROPRIETARY	Australia TWA: 1 ppm, 4.2 mg/m3 ACGIH-TWA: 1 ppm

ENGINEERING CONTROLS: Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended exposure limits.

PERSONAL PROTECTION MEASURES/EQUIPMENT:

Respiratory protection: Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air-supplied respirator. For respirator use observe OSHA regulations (29CFR 1910.134) or use in accordance with applicable laws and regulations of your country or particular locality.

Skin protection: Use neoprene, nitrile, or rubber gloves to prevent skin contact.

Eye protection: Use safety eyewear including safety glasses with side shields and chemical goggles where splashing may occur.

Other protective equipment: Remove and wash contaminated clothing before reuse.

Hygienic practices: Wash hands before eating, smoking, or using toilet facility. Food or beverages should not be consumed anywhere this product is handled or stored. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Typical values, not to be used for specification purposes.

Odor:	Amine	Vapor Pressure:	N.D.
Appearance:	White	Vapor density:	Heavier than Air
Physical state:	Paste	Lower explosion limit:	Not applicable
Flash point:	≥ 201 °F, 93 °C	Upper explosive limit:	Not applicable
Boiling range:	N.A.	Evaporation rate:	Slower than n-butyl-acetate
Autoignition temperature:	N.D.	Density:	1.34 g/cm3
Decomposition temperature:	N.D.	Viscosity, dynamic:	N.D.
Odor threshold:	N.D.	Viscosity, kinematic:	N.D.
Solubility in H2O:	Insoluble	Volatile by weight:	0.00 %
pH:	N.A.	Volatile by volume:	

Product: FUSOR 114LG, 114SM PLASTIC FINISHING ADH (FAST) PT B, Effective Date:
08/04/2022

Freeze point: N.D.
Coefficient of water/oil distribution: N.D.

VOC Calculated: 0 lb/gal, 0 g/10 g/l

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Hazardous polymerisation will not occur under normal conditions.

STABILITY: Product is stable under normal storage conditions.

CONDITIONS TO AVOID: High temperatures.

INCOMPATIBILITY: Strong acids, bases, and strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, organic or inorganic nitrogen compounds including traces of hydrogen cyanide.

11. TOXICOLOGICAL INFORMATION

EXPOSURE PATH: Refer to section 2 of this SDS.

SYMPTOMS: Refer to section 2 of this SDS.

CHRONIC EFFECTS: Refer to section 2 of this SDS.

TOXICITY MEASURES:

Acute toxicity Oral: Category 4 - Harmful if swallowed.

Components contributing to classification: 4-tert-Butyl phenol. Polyamine. Nonylphenol. Amine compound.

Acute toxicity Dermal: Category 5 - May be harmful in contact with skin.

Components contributing to classification: 4-tert-Butyl phenol. Polyamine. Nonylphenol. Amine compound.

Chemical Name	LD50/LC50
4-tert-Butyl phenol	Oral LD50: Rat 4,000 mg/kg Dermal LD50: Rabbit 2,318 mg/kg
Polyamine	Oral LD50: Rat 2,500 mg/kg GHS LD50: Acute toxicity point estimate 1,100 mg/kg
Nonylphenol	Oral LD50: Rat 580 mg/kg : Dermal LD50: Rabbit 2,031 mg/kg
Amine compound	Oral LD50: Rat 2140 µL/kg Dermal LD50: Rabbit 866 mg/kg
Amine compound	Oral LD50: Rat 1,080 mg/kg Inhalation LC50: Rat 70 mg/l /4 h

Skin corrosion/irritation: Category 2 - Causes skin irritation.

Components contributing to classification: 4-tert-Butyl phenol. Polyamine. Nonylphenol. Amine compound.
Fumed Silica.

Serious eye damage/eye irritation: Category 1 - Causes serious eye damage.

Components contributing to classification: 4-tert-Butyl phenol. Polyamine. Nonylphenol. Amine compound.
Fumed Silica.

Skin sensitization: Category 1 - May cause an allergic skin reaction.

Components contributing to classification: Polyamine. Amine compound. Amine compound.

Respiratory sensitization: Category 1 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components contributing to classification: Amine compound.

Germ cell mutagenicity: No classification proposed

Carcinogenicity: No classification proposed

Reproductive toxicity: Category 2 - Suspected of damaging fertility or the unborn child.

Components contributing to classification: 4-tert-Butyl phenol. Nonylphenol. Amine compound.

Specific target organ systemic toxicity (single exposure): Category 3 - May cause respiratory irritation.

Components contributing to classification: 4-tert-Butyl phenol.

Specific target organ systemic toxicity (repeated exposure): Category 2 - May cause damage to organs through prolonged or repeated exposure.(Kidney, Bladder)

Components contributing to classification: Nonylphenol.

Aspiration hazard: No classification proposed

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Chemical Name	Ecotoxicity
4-tert-Butyl phenol	<u>Fish:</u> Pimephales promelas 4.71 - 5.62 mg/196 h Flow through Cyprinus carpio 6.9 mg/196 h Static <u>Invertebrates:</u> Daphnia magna 3.9 mg/148 h Daphnia magna 3.4 - 4.5 mg/148 h Static <u>Plants:</u> Desmodemus subspicatus 11.2 mg/172 h
Polyamine	<u>Fish:</u> Poecilia reticulata 570 mg/196 h semi-static Pimephales promelas 495 mg/196 h <u>Invertebrates:</u> Daphnia magna 31.1 mg/148 h <u>Plants:</u> Desmodemus subspicatus 2.5 mg/172 h Pseudokirchneriella subcapitata 20 mg/172 h Pseudokirchneriella subcapitata 3.7 mg/196 h
Nonylphenol	<u>Fish:</u> Pimephales promelas 0.135 mg/196 h Flow through <u>Invertebrates:</u> Daphnia magna 0.14 mg/148 h Daphnia magna 0.17 - 0.21 mg/148 h Static Daphnia magna 0.0874 - 0.124 mg/148 h semi-static <u>Plants:</u> Pseudokirchneriella subcapitata 0.41 mg/196 h Desmodemus subspicatus 1.3 mg/172 h
Amine compound	<u>Fish:</u> Pimephales promelas 1,950 - 2,460 mg/196 h Flow through Poecilia reticulata > 1,000 mg/196 h semi-static Oncorhynchus mykiss >= 100 mg/196 h semi-static <u>Invertebrates:</u> Daphnia magna 32 mg/148 h <u>Plants:</u> Pseudokirchneriella subcapitata 495 mg/172 h
Amine compound	<u>Fish:</u> Poecilia reticulata 248 mg/196 h Static Poecilia reticulata 1,014 mg/196 h semi-static <u>Invertebrates:</u> Daphnia magna 16 mg/148 h <u>Plants:</u> Pseudokirchneriella subcapitata 1,164 mg/172 h Pseudokirchneriella subcapitata 345.6 mg/196 h Desmodemus subspicatus 592 mg/196 h

PERSISTENCE AND DEGRADABILITY: Not determined for this product.

BIOACCUMULATIVE: Not determined for this product.

MOBILITY IN SOIL: Not determined for this product.

Product: FUSOR 114LG, 114SM PLASTIC FINISHING ADH (FAST) PT B, Effective Date:
08/04/2022

OTHER ADVERSE EFFECTS: Not determined for this product.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of contents/container in accordance with waste/disposal laws and regulations of your country or particular locality.

14. TRANSPORT INFORMATION

IATA Cargo

Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s.
Hazard Class:	9
Hazard class:	None
UN number:	3082
Packing group:	III
EmS:	9L

IMDG

Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s.
Hazard Class:	9
Hazard class:	None
UN number:	3082
Packing group:	III
EmS:	F-A; S-F

The listed transportation classification applies to IATA Cargo and IMDG non-bulk shipments. It does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors for your country or particular locality. For the most accurate shipping information, refer to your transportation/compliance department.

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS: AS FOLLOWS -

AUSTRALIA INVENTORY OF EXISTING CHEMICAL SUBSTANCES (AICS):

All components of this product are on the AICS list.

16. OTHER INFORMATION

Revision: Section 1

Effective Date: 08/04/2022

DISCLAIMER

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

Product: FUSOR 114LG, 114SM PLASTIC FINISHING ADH (FAST) PT B, Effective Date:
08/04/2022
